# Brought to you by Pro Gear & Transmission.

# For parts or service call:

877-776-4600 407-872-1901



www.globaldifferentialsupply.com

906 W. Gore St. Orlando, FL 32805 parts@eprogear.com

#### TABLE OF CONTENTS

Model Identification Numbering Systemi	
Axle Identification1	
Components2	
Parts List3	-4
Axle Shafts4	
End Yoke Assemblies4	
Pinion Bearing Cage Shims4	ļ
Bearing Preload Spacers4	
Housings5	,
Kits4	-5
Bearing Preload Spacers	
Differential Case with Bolts	
Ring Gear and Pinion	
Bearings and Seals	
Diff-Lock	




#### GENUINE SPICER SERVICE PARTS

Should an axle assembly require replacement component parts, it is recommended that Spicer Heavy Axle Service Parts be used. Spicer Heavy Axle Service Parts are manufactured under the same rigid specification as are original equipment axle components. This assures the customer who uses genuine Spicer service parts maximum reliability for a Spicer Heavy Axle assembly. They may be obtained through your vehicle manufacturer. The use of non-original Spicer service parts may cause premature component failure and may void the warranty.

The items included in this book are currently being offered as service parts at the time of printing. The part numbers and illustrations are provided specifically for reference purposes only. Therefore, Spicer reserves the right to update this manual without notice or liability.

#### MODEL IDENTIFICATION NUMBERING SYSTEM



# DIFFERENTIAL MANUALS BROUGHT TO YOU BY PRO GEAR & TRANSMISSION.

# FOR PARTS OR SERVICE CALL:

877-776-4600 407-872-1901



# WWW.PGTTRUCKPARTS.COM


906 W. GORE ST. ORLANDO, FL 32805 PARTS@EPROGEAR.COM


#### **AXLE IDENTIFICATION**


All axle assemblies are identified with two tags; one located on the differential carrier, and the other located on the right hand side of the axle housing.

The **differential carrier tag** contains the following: Dana part number, julian date code, and ratio. Optional items include customer part number, line set number, and the last six digits of the vehicle serial number.

The **axle assembly tag** contains the following items: Dana part number, julian date code, axle model, and ratio. Optional items include customer part number, line set number, and the last six digits of the vehicle serial number.







ltem	Part Name	Qty.	S230-S/SL	S230-SB	S260-SB
1	Flanged Hex Nut	1	HN162	HN162	HN162
2	Pinion Nut Washer	1	HN139	HN139	HN139
3	End Yoke Assembly	1	See Page	e 4 for correct part n	umbers
4+	Pinion Seal	1	300HH100	300HH100	300HH10
5+	Outer Pinion Bearing Cone	1	HB106	HB106	HB106
6	Bearing Cage Bolt	8	HM117	HM117	HM117
7+	Outer Pinion Bearing Cup	1		Included in Item 8	
8	Pinion Bearing Cage	1	300CP1	106-X, Includes items	7 and 11
9+	Pinion Bearing Cage Shim	A/R	See Pag	e 4 for correct part n	umbers
10+	Bearing Preload Spacer	1		e 4 for correct part n	
11+	Inner Pinion Bearing Cup	1	0	Included in Item 8	
12+	Inner Pinion Bearing Cone	1	300HB100	300HB100	300HB10
13+	Ring Gear & Pinion Set	1		Page 5 for correct page	
14+	Pinion Pilot Bearing	1	300HD100	300HD100	300HD10
15	Carrier Sub-Assembly (Standard)	1	300CS101-X	300CS101-X	300CS101
13	Carrier Sub-Assembly (Diff-Lock Only)	1	300CS102-X		
16	Carrier Mounting Bolt (Grade 8, $\frac{5}{8}$ " - 11 UNC x 2 $\frac{1}{4}$ ")	4	HM110	HM110	HM110
17	Carrier Mounting Bolt (Grade 8, $\frac{5}{8}$ " - 11 UNC x 1 $\frac{3}{4}$ ")	10	HM109	HM109	HM109
18	Adjusting Ring	2	300HR101	300HR101	300HR101
19 <sup>+</sup>	Differential Bearing Cup	2	HA101	HA101	HA101
20+	Differential Bearing Cone	2	HB102	HB102	HB102
21	Adjusting Ring Lock Hex Bolt	2	HM201	HM201	HM201
		2			
22	Adjusting Ring Lock		401 HR104	401 HR104	401 HR 104
23+	Differential Case Bolt	16	HM127	HM127	HM127
24+	Differential Case Cap Half (Standard)	1	300DT103	300DT103	300DT10
25±	Differential Case Cap Half (Diff-Lock Only)	1	300DT101		
25 <sup>+</sup>	Differential Gear Thrustwasher	2			
26 <sup>+</sup>	Differential Pinion Mate Thrustwasher	4	V	it ank 700KP100 \	,
27+	Differential Pinion Mate	4	N N	it only - 300KR100->	`
28+	Differential Cross Shaft	1			
29 <sup>+</sup>	Differential Side Gear	2	111 1207		1111207
30	Ring Gear Rivet	16	HM203	HM203	HM203
30A	Ring Gear Bolt Kit	16	Ki	it only - 300KY100->	(
31+	Differential Case Flange Half	_			
	3.07 thru 3.54 Ratio	ı	300DU103	300DU103	300DU10
	3.73 thru 4.44 Ratio	1	300DU105	300DU105	300DU10
	4.78 and Up	1	300DU107	300DU107	300DU10
32	Differential Bearing Cap Washer	4	HN125	HN125	HN125
33	Differential Bearing Cap Bolt	4	HM202	HM202	HM202
34	Axle Housing	1	See Page	e 5 for correct part n	umbers
35	Magnetic Drain Plug	1	MJAHM106	MJAHM106	MJAHM10
36	Temperature Sensor Plug	1	MJAHM115	MJAHM115	MJAHM115
37	Fill Plug	1	MJAHM120*	MJAHM120	MJAHM120
38	Vent	1	MJAHN110	MJAHN110	MJAHN110
39	Single Splined Axle Shafts (Standard)	2	See Pag	e 4 for correct part n	umbers
40	Double Splined Axle Shaft (Diff-Lock)	1		ts are combined with	
41	No-SPIN® Differential	1	300GN100	300GN100	300GN10
42 <sup>+</sup>	Hex Bolt, Air Shift Cylinder	2	HM201		
43 <sup>+</sup>	Washer, Air Shift Cylinder	2	HN138		
44+	Plug, Air Shift Cylinder	1	HM234		
45 <sup>+</sup>	Air Shift Cylinder	1	See Page 5 for Kit		
	····· - J····		-0 101 111		

<sup>+</sup> Item included in Kit A/R - As Required

<sup>\* 401</sup> HM 103-2, Mack Plug

# PARTS LIST (CONTINUED)

Item	Part Name	Qty.	S230-S/SL	S230-SB	S260-SB
47+	Shift Fork Shaft Pin	1	300HP100		
48+	Clutch Collar	1	300SH101		
49 <sup>+</sup>	Shift Fork Pin	2	300HP101		
50 <sup>+</sup>	Shift Fork	1	See Page 5 for Kit		
51+	Compression Spring	1	300HE101		
52 <sup>+</sup>	Switch Assembly	1	300HY100		
53 <sup>+</sup>	Shift Fork Shaft	1	300SS101		

<sup>+</sup> Item included in Kit

## **AXLE SHAFTS**


STANDA	STANDARD						
Spline	Length	Hole Dia.	Hole Type	Spicer Part Number			
Single	39.98"	.78″	Straight	230SR100-1			
Single	39.98"	.69"	Tapered	230SR100-2			
Single	39.98"	.73"	Tapered	230SR100-3			
Single	39.98"	.69"	Tapered	230SR102 <sup>@</sup>			
Single	43.61"	.69"	Tapered	300SR101-1 <sup>@</sup>			
Single	40.84"	.69"	Tapered	057SR102-1			

<sup>@</sup> Lubricant fill hole through flange

#### **DIFF-LOCK (SEE NOTE)** Spline Hole Dia. Length **Hole Type Spicer Part Number** 39.98" .78" 057SR107-1\* Double ${\sf Straight}$ Double 39.98" .69" **Tapered** 057SR107-2\*\* 39.98" .73" 057SR107-3\*\*\* Double Tapered

Note: Use with corresponding standard shaft as noted below. \*230SR100-1, \*\*230SR100-2, \*\*\*230SR100-3

## **END YOKE ASSEMBLIES**



Series	A	В	Spline	Spicer Part Number
1610	1.88"	5.31"	2.364" - 36	5-4-9411-1X
1710	1.94"	6.09"	2.364" - 36	6-4-8801-1X
1760	1.94"	7.00"	2.364" - 36	6.3-4-1611-1X
1810	1.94"	7.55"	2.364" - 36	6.5-4-4481-1X
SPL170	55mm	164mm	2.364" - 36	170-4-1041-1 X
SPL250	60mm	163 mm	2.364" - 36	250-4-461-1X

## PINION BEARING CAGE SHIMS

Thic	kness	
Inches	MM	Spicer Part Number
.003	.076	300HS101-1
.005	.127	300HS101-2
.010	.254	300HS101-3
.030	.762	300HS101-4

## **BEARING PRELOAD SPACERS**

Thic	kness		
Inches	MM	Spicer Part Number	Spacer Kit
.893	22.682	474HS101-1	
.894	22.708	474HS101-2	
.895	22.733	474HS101-3	
.896	22.758	474HS101-4	
.897	22.784	474HS101-5	
.898	22.809	474HS101-6	
.899	22.835	474HS101-7	
.900	22.860	474HS101-8	
.901	22.885	474HS101-9	
.902	22.911	474HS101-10	
.903	22.936	474HS101-11	
.904	22.962	474HS101-12	
.905	22.987	474HS101-13	
.906	23.012	474HS101-14	
.907	23.038	474HS101-15	
.908	23.063	474HS101-16	
.909	23.089	474HS101-17	474KV100-X
.910	23.114	474HS101-18	
.911	23.139	474HS101-19	
.916	23.266	474HS101-20	

# **HOUSINGS**

Suspension	ABS Blocks	<b>Locator Pin Centers</b>	OEM	\$230-\$/\$L	S230-SB	S260-SB
Spring	No	40.20"	Navistar	230CH100		
Air	No	40.20"	Navistar	230CH101		
Spring	Yes	40.20"	Navistar	230CH102		
Air	Yes	40.20"	Navistar	230CH103		
Air	Yes	40.20"	Navistar	230CH106		
Air	Yes	40.24"	Mack	230CH107		
Spring	Yes	40.24"	Mack	230CH108		
Spring	No	35.06"	Ford	230CH109		
Air	No	40.25"	MCI		230CH105-X	
Air	No		Nova			260CH101-X
Air	No	40.94"	American Ikarus			260CH102


# **KITS**

			DIFFERENTIAL	CASE WITH BOLTS
Ratio	Differential	S230-S/SL/SB	S260-SB	Items Included
3.07 thru 3.54	Standard	300KQ105-X		
	Diff-Lock	300KQ100-X		
3.73 thru 4.44	Standard	300KQ106-X		27 24 71
	Diff-Lock	300KQ101-X		23, 24, 31
4.78 and Up	Standard	300KQ107-X	300KQ107-X	
	Diff-Lock	300KQ102-X		

			RING GEAR AND PINION
Ratio	S230-S/SL/SB	S260-SB	Items Included
3.07	300KG100-X	300KG100-X	
3.21	300KG101-X	300KG101-X	
3.54	300KG107-X	300KG107-X	
3.73	300KG103-X	300KG103-X	1, 13
3.91	300KG108-X	300KG108-X	1, 15
4.10	300KG109-X	300KG109-X	
4.44	300KG105-X	300KG105-X	
4.78	300KG106-X	300KG106-X	

			BEARINGS AND SEALS
Description	S230-S/SL/SB	S260-SB	Items Included
All Bearings and Seals	300KS100-X	300KS100-X	4, 5, 7, 11, 12, 14, 19, 20

			DIFF-LOCK
Description	S230-S/SL	S260-SB	Items Included
Shift Shaft Kit	300KT103-X		47, 53
Shift Fork Kit	300KT102-X		49, 50
Air Shift Cylinder Kit	300KT101-X		42, 43, 44, 45, 46
Shifter Assembly	300KT100-X		42 thru 53



Copyright Eaton and Dana Corporation, 2002. EATON AND DANA CORPORATION hereby grants its customers, vendors, or distributors permission to freely copy, reproduce and/or distribute this document in printed format. THIS INFORMATION IS NOT INTENDED FOR SALE OR RESALE, AND THIS NOTICE MUST REMAIN ON ALL COPIES.



National Institute for AUTOMOTIVE SERVICE EXCELLENCE

# Roadranger MORE TIME ON THE ROAD

The Roadranger® System is an unbeatable combination of the best products from Eaton and Dana -- partnering to provide you the most advanced, most trouble-free drivetrain in the industry. And it's backed by the Roadrangers -- the most experienced, most expert, most accessible drivetrain consultants in the business. Visit our web site at www.roadranger.com. For spec'ing or service assistance, call 1-800-826-HELP (4357) 24 hours a day, 7 days a week, (Mexico: 001-800-826-HELP (4357)) for more time on the road.



FAT-N